


HEYCAR RINSE INTELLIGENT EQUIPMENT (Hubei) CO., LTD.

QUALITY IS THE FUNDATION OF TRUST, THE KEY OF COMPETITION & COOPERATION!

Email: heycarchina@gmail.com

QUOTATION TO		COUNTRY
Contact Person		
Company Name		
Email		
Address		
Whatsapp		

Product Name	Picture	SPEC.	Unit Price	Qty	FOB
Touchless Car Wash Machine		Model: TS-60	\$10,460.00	1	\$10,460.00

Remark:

1. PAYMENT TERMS:
2. PORT OF LOADING: SHANGHAI, CHINA
3. PACKING: INTERNATIONAL EXPORTING PLYWOOD CASE.
4. TERMS OF PAYMENT: 50 %TT DOWNPAYMENT BEFORE PRODUCTION, 50% BALANCE BEFORE SHIPPING.
5. DELIVERY TIME: AROUND 15-20 WORKING DAYS.
6. GUARANTEE: TWO YEARS
7. INSTALLATION: INSTALLATION & TRAINING, USD150/DAY(ABOUT 8 DAYS, INCLUDING ROUND TRIP TIME) CUSTOMER NEEDS TO AFFORD ROUND TRIP AIR TICKET, VISA, HOTEL AND DINNERS FOR 1 ENGINEER.




CONFIGURATION LIST

Configuration	Standard	Optional
Chassis wash function	√	
360 surround flushing	√	
Foam function	√	
Water wax coating	√	
Safety alarm	√	
Fault self-check	√	
Vehicle width detection	√	
LED touch screen control	√	
Automatic standby	√	
Dedicated air pump	√	
Car body recognition	√	
Parking detection	√	
Leakage protection	√	
Automatic liquid ratio	√	
Galvanized frame	√	
Water wax coating	√	
Air dry (4KW*4)	√	
Magic color bubble function	√	
Customize power(> 415V or change to 60HZ)	Optional	USD680 each changement
Water recycle system	Optional	USD2900
FREE SPARE PARTS		
Ground grid + limit rod	Self-provide	
Anti-collision bar	4 sets	
Water storage	1 pcs	


TECHNICAL PARAMETERS

Size	Machine Size	L*W*H=5200*3700*3000mm
	Standard Equipment Installation Size	L*W*H=5500*3700*3000mm
	Car Wash Size	L*W*H=5300*2000*2000mm
Consumption per car	Foam Consumption	Approx.30-50ml/car
	Water Consumption	Approx.80-150L/car
	Electricity Consumption	Approx.2kW·h/car
	Time Consumption	3-5min
Specification	Power Supply Requirements	380V/31KW/50HZ
	Compressed Air Pressure	8kg/ rated 4kg
	Control System	PLC Mitsubishi
	Car Wash Type	Touchless
	Manufacturing materials	Metal paint
	Photoelectric sensor	Omron/Japan
	Proximity sensor	Omron/Japan
	Electrical components	Schneider/France
	Air source treatment	AirTAC/Taiwan
	Sprinkler	17 nozzles
	Movable motor	Waterproof motor
	Cantilever motor	Waterproof motor
	Water pump	German Pinfu
Other Items	Start up	Cash/Manual
	Warranty	2 years free warranty / only accessories and shipping cost will be charged outside the warranty period
	Packing	Polywood case
	Cetification	CE certificate

>>> 3D DRAWING



INSTALLATION DRAWING




NOTE:

1. When rear wheels washing, the distance between wheel brush to sensor should be above 5 meter, otherwise under chassis wash will start.
2. The electric cable needs 4 copper cables and the power supply of cable requires at least 16mm² to support 30KW capacity.(pls double check with your electric engineer.
3. The water tank should be on the same horizontal line of the car wash machine.



Water treatment machine

Product Name	Picture	SPEC.	Unit Price	Qty	FOB
Basic car wash water recycling system		Model: S9	2900	1	\$2900

CONFIGURATION LIST

Feed water pump
Flow:3 m ³
Basic filter system, mainly used for inspection
Bag filter ((can be washed and reused)) + Quartz sand filter + Activated carbon
Power:380V,50HZ, 3 phase
Automatic control automatic cleaning
Micron precision cartridge filter
Ozone Generator (Deodorization)

Item	Cycle of replacement	Qty	EXW PRICE	Remark
Quartz sand	2-3 years	200kg	US\$ 0.7/kg	US\$140
Activated carbon	1-2 year	75kg	US\$ 2 /kg	US\$150
Water softening resin	2-3 year	50L	US\$ 2.2 / L	optional
PP melt blown filter cartridges	1-3 months	50 pcs / ctn	US\$ 4 /pce	US\$200
UF membrane	6-12 months	1 pcs	US\$ 185/ pce	PVDF membrane element

Note: Because these parts are consumables , the replacement frequency varies according to raw water quality , water consumption per day and customer's maintenance. The information above is just for your reference.

>> Water treatment machine picture



»»» FACTORY SHOW



>>> CUSTOMS VISITING



HEYCAR® 嗨卡
洗 洗 车 更 嗨



QUALITY IS THE FOUNDATION OF TRUST, THE KEY OF COMPETITION & COOPERATION!

THANKS